

PortaView-LF



Illumination is switched on when the miniature light source is turned in the opposite direction from the suction valve.

Extended Battery Life

The miniature light source is powered by the same lithium battery normally used in cameras and uses a halogen lamp, enabling it to provide sufficient power duration and light intensity for tracheal intubation.

Portable Design with Built-in Light Source

Incorporating their own miniature light source, Olympus PortaView-LF fiberscopes are a complete, all-in-one portable solution for emergency tracheal intubations. PortaView scopes can be carried easily to an emergency situation or to bedside. Their mobility and limited storage requirements also make them well suited for use in heavily equipped ICUs and operating rooms.

Designed to Meet the Requirements of a Wide Range of Intubation Techniques

Whatever your intubation requirements, Olympus's versatile lineup of PortaView-LF scopes will meet your needs. Simply choose the scope that best suits your technique. In addition to the dual-purpose LF-GP, our lineup includes the small-diameter LF-DP which can be passed through any double-lumen tracheal intubation tube, greater than 32Fr., and the LF-TP which has a large 2.6mm diameter channel to allow suction of even highly viscous sputa.



Superior Optical Performance with Bigger, Brighter Images and a Wider Field of View

Incorporating the same top-rated Olympus optical technology used in our other endoscopic products, PortaView-LF scopes offer a well-balanced combination of superior observation capability and superior portability.

Fully Immersible Waterproof Design

PortaView-LF scopes are completely waterproof and can be fully immersed in disinfectant solution for thorough reprocessing, reducing the risk of cross-contamination. A rugged, durable design ensures reliable operation over extended periods.




Compatible with Conventional Light Sources

When combined with the light guide cable and adapter, the PortaView-LF scope can be used with any Olympus light source.



(* Do not use Light Guide other than Model A3090/A3091/A3093 /A3290/A3291/A3293)

System Chart



Standard Set

- LF-GP/LF-TP/LF-DP (BODY) 1
- Channel-opening Cleaning Brush (MH-507) 1
- Single-use Biopsy Valve (MAJ-210) 30
- Light Guide Adapter (MAJ-669) 1
- Suction Valve Holder (MD-51) 1
- Miniature Light Source (MAJ-524) 2sets
- 1set consists of :
 - Lithium Battery (CR123A) 1pc.
 - Halogen Lamp (MAJ-525) 1pc.
- ETO Cap (MB-156) 1
- LF-TP
 - Channel Cleaning Brush (BW-15B) 1
- LF-GP/DP
 - Channel Cleaning Brush (BW-7B) 1
 - Suction Connector Cleaning Brush (BW-15SH) 1

LF-GP/LF-TP/LF-DP Specifications

		LF-GP	LF-TP	LF-DP
Optical System	Field of view	90°		
	Depth of view	4~50mm	3~50mm	
Distal End	Outer diameter	3.8mm	5.1mm	3.1mm
	Insertion Tube	Outer diameter	4.1mm	5.2mm
Suction Channel	Inner diameter	φ1.5mm	φ2.6mm	φ1.2mm
	Bending Section	Angulation range	Up 120°/Down 120°	Up 180°/Down 130°
Working Length		600mm		
Total Length		855mm		

Miniature Light Source (MAJ-524) Specifications

Halogen Lamp (MAJ-525)	Output	2.5V, 1.7W
	Average Life	approx. 20 hours
Lithium Battery	Product Number	CR123A/DL123A
	Average Life	approx. 60 minutes

Ancillary Equipment



OTV-S7V VISERA VIDEO SYSTEM CENTER
CLV-S40 VISERA XENON LIGHT SOURCE

Crisp, clear details and outstanding brightness and clarity provided by our high-performance video system will make your work much easier. Excellent system expandability and a powerful light source with a 300-watt long-life xenon lamp make this system the ideal complement to your scope.



SSU-2 Endoscopic Suction Pump

Compact and lightweight, this simplified water aspirator's diaphragm-type pump makes it extremely portable. When the 1.5-liter bottle is full, the unit stops suctioning automatically.



CLH-SC Halogen Light Source

Incorporating a high-intensity 150w lamp, this light source offers illumination that exceeds what is typical for its class. Its compact, lightweight design makes it easier to transport.

Specification, design and accessories are subject to change without any notice or obligation on the part of the manufacturer.

OLYMPUS

OLYMPUS OPTICAL CO., LTD.
2951 Ishikawa-cho, Hachioji-shi, Tokyo 192-8507, Japan
OLYMPUS WINTER & IBE GMBH
Kuehndorferstrasse 61, 22045 Hamburg, Germany
OLYMPUS OPTICAL CO. (EUROPA) GMBH.
Postfach 10 49 08, 20034 Hamburg / Wendenstrasse 14-18, 20097 Hamburg, Germany
OLYMPUS AMERICA INC.
2 Corporate Center Drive, Melville, N.Y. 11747-3157, U.S.A.
OLYMPUS LATIN AMERICA INC.
6100 Blue Lagoon Drive, Suite 390 Miami, Florida 33126-2087, U.S.A.
OLYMPUS KEYMED
Keymed House, Stock Road, Southend-on-Sea, Essex SS2 5QH, England
OLYMPUS SINGAPORE PTE LTD.
491B River Valley Road #12-01/04 Valley Point Office Tower, Singapore 248373
OLYMPUS HONG KONG AND CHINA LIMITED.
Room 1520-1527, Ocean Centre, 5 Canton Road, Tsimshatsui, Kowloon, Hong Kong
OLYMPUS BEIJING REPRESENTATIVE OFFICE
Rm.318, South Tower, Beijing Kerry Centre, No.1 Guanghua Road, Chaoyang District, Beijing, 100020, China
OLYMPUS MOSCOW LIMITED LIABILITY COMPANY
117071, Moscow, Malaya Kaluzhskaya 19, bld. 1, II.2, Russia
OLYMPUS AUSTRALIA PTY LTD
31 Gibby Road, Mount Waverley, VIC, 3149, Australia

OLYMPUS BUSINESS AREAS



www.olympus.com

OLYMPUS



PortaView-LF

Tracheal Intubation Fiberscope **OLYMPUS LF-GP/TP/DP**



*Reliable Performance
Wherever You Need It*





Powerful Performance And Maximum Mobility — Now Available In Tracheal Intubation Fiberscopes

Ideal for use in emergency situations, as well as bedside, operating rooms, and ICUs, Olympus PortaView-LF fiberscopes with built-in miniature light source offer excellent portability, extended battery performance, and superior observation capabilities.



Expanded View-Field Size
Offering the same clear, brighter image quality as our other PortaView-LF scopes, the LF-GP delivers an image with a diameter 2.2 times larger than the LF-2.



Designed To Meet The Needs Of Emergency Medical Care, These New Tracheal Intubation Fiberscopes Feature Superior Performance And Excellent Portability




TRACHEAL INTUBATION FIBERSCOPE
OLYMPUS LF-GP



Versatile Scope That Can Be Passed Through Both Single- and Double-Lumen Tracheal Tubes

Offering many of the same useful features as our highly acclaimed LF-2 standard-type tracheal intubation fiberscope, the new portable LF-GP can be passed through single-lumen tracheal tubes with a diameter of 5mm or greater, as well as double-lumen tubes with a diameter of 37 Fr. or greater. With a 4.1mm insertion tube outer diameter and a 1.5mm suction tube inner diameter, this versatile tracheal intubation fiberscope simplifies intubation procedures and offers exceptional portability and efficiency. The LF-GP delivers 2.2 times Larger image, which is suitable for observation with a video system as well.




TRACHEAL INTUBATION FIBERSCOPE
OLYMPUS LF-TP



Sputum Suction Can Be Performed Quickly at Bedside, ICUs, and Operating Rooms

With only a 5.2mm insertion tube diameter, the LF-TP has a large 2.6mm diameter channel through which even highly viscous sputa can be suctioned. The LF-TP can be easily passed through most single-lumen tracheal tube used for adults, providing secure insertion of the tracheal tube into the airway.



TRACHEAL INTUBATION FIBERSCOPE
OLYMPUS LF-DP



Ideal for Position Confirmation of a Double-Lumen Tube in Differential Lung Ventilation

This slim tracheal intubation fiberscope has an insertion tube diameter of only 3.1mm. This size makes it ideally suited for insertion and position confirmation of the double-lumen tracheal tube used in differential lung ventilation. The scope can be passed through most double-lumen tubes used in tracheobronchial applications and offers excellent performance even with its small diameter. Excellent brightness, field of view, and depth of field enables accurate position confirmation of a tracheal tube cuff.

